

AUDIOVISUAL

TECHNICAL SPECIFICATIONS

Laser Projector 3 LCD EPSON EB - L17SSU

15000 LUMENS

Resolution WUXGA (1920 × 1200)

Full HD (4Ke)

INTERCHANGEABLE LENSE

- 1,57 - 2,56:1

- 0,76- 1,07:1 (ANGULAR)

- 3,54 - 5,41:1

HD VIDEO SWITCHER **ROLAND V-1 HD**

APPLE Mini Mac Pro (chip M2, 16GB RAM, 512 SSD)

QLab V.5

STAGE EQUIPMENT

TECHNICAL SPECIFICATIONS

FRONT CURTAIN 14m x 8 m (Guillotine Opening)

Side closure adjustable system and “bambalinon” by means of rigid black walls

24 Motorized Bars

9m Auxiliary truss

Front Stage Height 6,6m

8 x Black Legs (3m x 8m)

6 x Black Backstage (14m x 3m)

2 x Black Background (8m x 8,40m)

2 x Black Background (8m x 7,40m)

Cyclorama PVC White (10m x 8m)

Front Width 14m

Stage Depth 10,5m

Machinery Ceiling Height 14m

Black Linoleum PVC

Dance Bars

Dressing rooms with Whasher, Dryer, Iron and steamer

LIGHTING

TECHNICAL SPECIFICATIONS

Lighting Control Room

1 ETC ION Xe20 + EOS 20 fw control desk

2 Follow Spots ROBERT JULIAT 1200 W HMI

36 RANK STRAND 1200 W PC CANTATA

12 RANK STRAND 1200 W FRESNEL CANTATA

12 MARTIN MAC QUANTUM WASH

80 PAR 64

30 Profiles Spots ROBERT JULIAT 20/40 1000W

18 Profiles spots ETC 12/40 750W (F.O.H.)

12 PC 2000W

6 ELATION SIXPAR 300

14 ELATION SIXBAR 1000

24 SPOT LIGHT 1000W Floodlights

8 Boom Side Towers (3m in height) with 6 RANK STRAD Prelude 650W Profile spots (2 × 16/40 degrees and 4 × 28/40 degrees every tower) 96 CH Dimmer ETC 2,5 Kw + 24 CH Dimmer 3 Kw (extra)

6 RANK STRAND Projectors Stand

SHUKO connector sistem

Mains 380V (111 + N + TT)

SO

TECHNICAL SPECIFICATIONS

Sound Control Room

P.A. Systems **d&b audiotechnik** 10 x **IOAL-D** Loudspeakers + 2 x **B22** Subwoofers + 2 x **30D** Amplifer 4 ch

Frontfield Sistem **Meyer Sound** 4 x **UPM-1**

Digital Mixer **Midas M32** Live + **Midas DL32** + **Midas DL16**

Stage monitoring speakers 8 x **d&b audiotechnik Max 12** + 4 x **d&b audiotechnik D-12 Amplifer**

Intercom Sistem **Clear-Com** wired and wireless

MICROPHONES

SHURE: 4 x SM58 / 3 x SM57 / 2 x KSM137 / 3 x KSM - 44

SHURE WIRELESS: 8 x ULXP4 8 Hands (4 x BETA 87 / 4 x BETA 58) & 8 Petaques

SHURE FOR CONFERENCE: 6 x MX412 / 5 x SM99-SE

SENNHEISER: 4 x 421 / 8 x MKH416

SHOEPS: 2 x CMCS

AKG: 2 x 3000 / 2 x C567

NEUMANN: 2 x KM184 / 2 x TLM193

DPA: 5 x 4088

BOSS: 4 x DI

BSS: 4 x DI (AR-133)